Date:

Wednesday, 08/10/2008 3:18:50 PM

User: Julie Lecocq

## **Process Sheet**

Customer

: CU-DAR001 Dart Helicopters Services

S.O. No. :

: 42516

Job Number : 13273 **Estimate Number** 

P.O. Number

This Issue

Prsht Rev.

First Issue

Written By

Previous Run

: 08/10/2008

: NC

: // : 40345

: SMALL /MED FAB Type

**Part Number** 

**Drawing Name** 

**Drawing Number** 

: D32023 : D3202 REVC

: COVER

**Project Number** 

: N/A : C

**Drawing Revision** 

Material

**Due Date** 

: 25/10/2008

Qty:

12 Um:

Each

Checked & Approved By

Comment

: Est Rev:A

new issue

08-04-21

DD verified by:EC

**Additional Product** 

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0 M5052H32S032

5052-H32 .032 Sheet

TAM FO

Comment: Qty.: 1.6286 sf(s)/Unit

5052-H32 .032 Sheet

B 8-11-10

Total:

Batch: 108734 2.0

FLOW WATER JET

19.5426 sf(s)



**Comment: FLOW WATER JET** 

1-Cut as per Dwg D3202 Dwg Rev: \_\_\_\_\_

Prog Rev:

2-Deburr if necessary

图8-11-10

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

3.0

QC8

SECOND CHECK



Comment: SECOND

HAND FINISHING1

HAND FINISHING RESOURCE #1

5.0

Comment: HAND FINISHING RESOURCE #1

Chemical Conversion Coat as per QSI 005 4.1

Dail Aci	Copacc	LU							
W/O:		· · · · · · · · · · · · · · · · · · ·	WC	ORK ORDER CHANGES	S				
DATE	STEP	PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
								·	
	:						,	·	
Part No	:	PAR #:	Fault Cate	gory:	NCR: Yes	No <b>DQ</b>	A:	Date: _	
Resolution:		esolution:	Disposition	QA: N/C Closed:			Date:		
NCR:				ER NON-CONFORMAN	·	3)			
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Section Action Description Chief Eng	Sign & Date		<b>cation</b> ion C	Approval Chief Eng	Approval QC Inspector
						į			
i			ļ						

Wednesday, 08/10/2008 3:18:50 PM Date: Üser: Julie Lecocq **Process Sheet** Drawing Name: COVER Customer: CU-DAR001 Dart Helicopters Services Job Number: 42516 Part Number: D32023 Job Number: Seq. #: Description: **Machine Or Operation:** POWDER COATING POWDER COATING 6.0 ~106442 Comment: POWDER COATING Powder Coat Grey Sandtex (Ref: 4.3.5.6) as per QSI 005 4.3 START TIME: **OVEN TEMPERATURE:** FINISH TIME: INSPECT POWDER COAT/CHEMICAL CONVERSION 7.0 QC3 POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT PACKAGING RESOURCE #1 PACKAGING 1 8.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: FINAL INSPECTION/W/O RELEASE QC21 9.0

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



MF 08-11-12

## **Dart Aerospace Ltd**

Dail Aci	Uspace	Liu							
W/O:			WO	RK ORDER CHANGE	ES				
DATE STEP		PROCEDURE CHANGE			Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		•							
					· ·				
	,								
Part No		PAR #:	Fault Cate	gory:	NCR: Ye	s No DO	QA:	Date: _	
Resolution:		esolution:	Disposition:		QA: N/C Closed: Date:				
NCR:		V	VORK ORDE	R NON-CONFORMA	NCE (NO	CR)			
		Description of NC	Corrective Action Section			Verif	Verification	Approval	Approval QC Inspector
DATE	SIEP	STEP Section A	Initial Chief Eng	Action Description Chief Eng	Sig: Da	n&  <sub>Sec</sub>	Section C Chief Eng		
					,			4	

NOTE: Date & initial all entries

D3065-5DART AEROSPACE LTD	Work Order:	42510		
Description: Cover	Part Number:	D3202-3		
Inspection Dwg: D3202 Rev: C		Page 1 of 1		

FIRST ARTICLE INSPECTION CHECKLIST								
X First Article Prototype								
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Co	mments	
Ø0.38	+0.006/-0.001	(382	89	ļ				
0.56	+/-0.030	,556	<b>X</b>					
3.59	+/-0.030	3,591	2					
2.95	+/-0.030	2,953	×					
0.82	+/-0.030	768,	×					
74.85	+/-0.030	74.85	8			-	,	
75.70	+/-0.030	סהפר	×			•.		
0.032	+/-0.010	1029	*			-		
4.03 Pitch	+/-0.030	4.030	X			,		
	·							
		,						
Measured by:	<u>B</u>	Audited by:	<del></del>		Prototype A		N/A	
Date:	8-11-10	Date:	581u	10		Date:	N/A	
Rev Date Change Revised by Approved								

Rev	Date	Change	Revised by	Approved
Α	08.07.23	New Issue	KJ/DD 🚓	178
-				

**D3202-1 COVER** 

**D3202-3 COVER** (COMPOSITE DOOR)

SHOP COPY RETURN TO ENGINEERING UNCONTROL LED COPY WITHOUT NOTICE WORK CRIDER

ADD -3 FOR COMPOSITE DOOR. REFORMAT ENTIRE DRAWING TO SOLIDWORKS STANDARD. INCORPORATE CHANGE B1 (CLARIFY MID-SPAN DIMENSION) 08.03.31 RE-DESIGN PART NOW CURVED 03.10.16 Α **NEW ISSUE** 01.01.01 REV. BY DESCRIPTION DATE **DESIGN** DS DART AEROSPACE LTD AJS DRAWN HAWKESBURY, ONTARIO, CANADA

DRAWING NO. CHECKED REV. C D3202 MFG. APPR. SHEET 1 OF 2 TITLE **APPROVED** M **SCALE COVER** DE APPR. NTS DATE

COPYRIGHT © 2008 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS

NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT 08.03.31

NOTES:
1) MATERIAL: 5052-H32 ALUMINUM SHEET, 0.032 THICK
PER AMS-QQ-A-250/8 OR AMS 4016
REF. DART SPEC M5052H32S.032
2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GREY SANDTEX (4.3.5.6) PER DART QSI 005 4.3
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3202-X" USING FINE POINT PERMANENT INK MARKER
7) WEIGHT: 0.56 lbs APPROX FOR -1 7) WEIGHT: 0.56 lbs APPROX FOR -1 : 0.61 lbs APPROX FOR -3

